



F415 Æ circulation filter 1.5" Æ thread

Article number: 482.420.050
Net weight: 13 kg.
Flow Rate: 8 m³/h.
Max. working pressure: 8 bar; 116 psi.
Clean filter pressure loss: 0.1 bar; 1.45 psi.
Connection: 1.5+- thread.
Filtration range: 80 - 500 micron.



Article No.	Description
482.481.001	Inner gasket
482.481.011	Upper gasket
482.481.021	Distributor plate
482.481.025	Rubber plug for distributor plate
482.481.041	Cover
482.482.051	T-handle
482.481.052	Shutter unit
482.480.008	Screen - F415 - 80 micron
482.480.010	Screen - F415 - 120 micron
482.480.012	Screen - F415 - 300 micron
482.480.014	Screen - F415 - 500 micron



Power Filters




**POWER
PLASTICS b.v.**


More info - - Call +31 252 216650

F420 Æ circulation filter 2.0Û Æ thread

Article number: 482.420.063
Net weight: 16 kg.
Flow Rate: 20 m³/h.
Max. working pressure: 8 bar; 116 psi.
Clean filter pressure loss: 0.1 bar; 1.45 psi.
Connection: 2.0+- thread.
Filtration range: 80 - 500 micron.



Article No.	Description
482.481.002	Inner gasket
482.481.011	Upper gasket
482.481.022	Distributor plate
482.481.026	Rubber plug for distributor plate
482.481.041	Cover
482.482.051	T-handle
482.481.052	Shutter unit
482.480.019	Screen - F420 - 80 micron
482.480.020	Screen - F420 - 120 micron
482.480.022	Screen - F420 - 300 micron
482.480.024	Screen - F420 - 500 micron



Power Filters




**POWER
PLASTICS b.v.**


More info - - Call +31 252 216650

F430 circulation filter 3.0" flange

Article number: 482.430.091
Net weight: 19 kg.
Flow Rate: 30 m³/h.
Max. working pressure: 8 bar; 116 psi.
Clean filter pressure loss: 0.1 bar; 1.45 psi.
Connection: 90mm - flange.
Filtration range: 80 - 500 micron.



Article No.	Description
482.481.002	Inner gasket
482.481.011	Upper gasket
482.481.022	Distributor plate
482.481.026	Rubber plug for distributor plate
482.481.041	Cover
482.482.051	T-handle
482.481.052	Shutter unit
482.480.028	Screen - F430 - 80 micron
482.480.030	Screen - F430 - 120 micron
482.480.032	Screen - F430 - 300 micron
482.480.034	Screen - F430 - 500 micron



Power Filters




**POWER
PLASTICS b.v.**


More info - - Call +31 252 216650

F440 Æ circulation filter 4.0Û Æ flange

Article number: 482.440.111
Net weight: 32 kg.
Flow Rate: 45 m³/h.
Max. working pressure: 8 bar; 116 psi.
Clean filter pressure loss: 0.1 bar; 1.45 psi.
Connection: 110mm - flange.
Filtration range: 80 - 500 micron.



Article No.	Description
482.481.004	Inner gasket
482.481.012	Upper gasket
482.481.023	Distributor plate
482.481.027	Rubber plug for distributor plate
482.481.042	Cover
482.482.051	T-handle
482.481.053	Shutter unit
482.480.038	Screen - F440 - 80 micron
482.480.040	Screen - F440 - 120 micron
482.480.042	Screen - F440 - 300 micron
482.480.042	Screen - F440 - 500 micron



Power Filters




**POWER
PLASTICS b.v.**


More info - - Call +31 252 216650

F460 6.0" flange

Article number: 482.460.160
Net weight: 118 kg.
Flow Rate: 125 m³/h.
Max. working pressure: 8 bar; 116 psi.
Clean filter pressure loss: 0.1 bar; 1.45 psi.
Connection: 160mm - flange.
Filtration range: 80 - 500 micron.



Article No.	Description
482.481.005	Inner gasket
482.481.013	Upper gasket
482.481.014	Upper gasket 2
482.481.024	Distributor plate
482.481.028	Rubber plug for distributor plate
482.481.043	Cover
482.480.051	Screen - F460 - 80 micron
482.480.052	Screen - F460 - 120 micron
482.480.062	Screen - F460 - 300 micron
482.480.064	Screen - F460 - 500 micron




Power Filters



**POWER
 PLASTICS b.v.**

More info - - Call +31 252 216650

Parts list Ë F400



Power Filters



POWER
PLASTICS b.v.

More info - - Call +31 252 216650